



General Notes

- Ballmouth**
14mm nom. close-graded bitmac wearing course 40mm thick on 40mm nom. bitmac basecourse 90mm thick on 320mm type one base material on 100mm type one sub-base
- Access Track**
100mm compacted gravel/whin dust or marble topping on 200mm compacted sub-base comprising locally found material where possible
- Parking Bay**
40mm gravel on 200mm compacted sub-base comprising locally found material where possible
- Water Supply**
25mm supply pipe laid at a depth of 750-1350mm to connect to existing main
- Electricity Supply**
New connections as SSE quote
- Foul Drainage**
Septic tank and soakaway to engineer's specification
- Rainwater**
Surface water to be discharged via soakaways to engineer's specification
- Landscaping**
Refer to landscape design drawing and design statement



is not scale drawing. It should seek confirmation from architect

© Rural Design Ltd

5 Locharade, Dunvegan, Isle of Skye, IV55 6WA
tel: 01463 4170 521552 fax: 01463 4170 521551
www.ruralsdesign.co.uk studio@ruralsdesign.net

RURAL DESIGN ARCHITECTS

Inverdurie Sawmill Co-operative

199/003

Planning

Proposed Development at former Inverdurie Sawmill

Proposed Site Plan 1:250 @a1 May 16 AT